

# SATIN 10

A stroll on Satin's silky smooth surface is an unforgettable experience where you feel supported, every step of the way. Her firm but gentle



## Product properties

Widths (m)	4.00/5.00	Backing	FusionBac
Texture	Saxony	Pile composition	100% Polyamide (Nylon)
Aspect	Plain color/speckled	Pattern repeating every L*W (cm)	
Domestic Use (* if stairs symbol is present)	Intensive : Bedroom, Guest room, Living, Dining, Hobby, Office, Study, Stairs(*), Entrance , Hallway	Commercial Use	General: Hotel room, Hotel suite, Boutique, Shop, Restaurant, Conference room, Office, Stairs
Pile height (mm)	15.0	Total thickness (mm)	17.5
Pile weight (g/m2)	1800	Total weight (g/m2)	2530
Prodis certificate	SATITA_PRODIS.PDF	CE certificate	SATITA_CE.PDF
Gauge (inch)	1/10	Tufts (per m2)	237000
Accoustical impact noise (dB)	35	Thermal resistance (m2C°/W)	0.150
Standard roll length (m)	22	Sample dimensions (W x10X30 H cm)	
Fire class remark	N/A	Fire class certification report	16/1085
Fire Classification	Cfl-s1	DIBT Approval nr	
Cut service	Yes	Contract collection	No
UPEC classification report		Rolled up	Pile Inwards
Backing type			
Yarn type			
DOP	1008#BL0001		




Available colors



SATIN 32      SATIN 34      SATIN 35      SATIN 42      SATIN 39



SATIN 94      SATIN 31      SATIN 33      SATIN 03      SATIN 90



SATIN 95      SATIN 98      SATIN 10      SATIN 27      SATIN 84